

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(creat\$3 generat\$3) adj5 (link path forward\$3 connect\$3 routing control) adj3 (script engine instructions code software) and (creat\$3 generat\$3) with (map directory topology) same (sequen\$6 series order) and folder and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:33
L2	23	(creat\$3 generat\$3) adj5 (link path forward\$3 connect\$3 routing control) adj3 (script engine instructions code software) and (creat\$3 generat\$3) with (map directory topology) and (sequen\$6 series order) and folder and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:35
L3	11	(creat\$3 generat\$3) adj5 (link path forward\$3 connect\$3 routing control) adj3 (script engine instructions code software) and (creat\$3 generat\$3) with (map directory topology) and (sequen\$6 series order) near5 distribut\$3 and folder and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:36
L4	11	(creat\$3 generat\$3) adj5 (link path forward\$3 connect\$3 routing control) adj3 (script engine instructions code software) and (creat\$3 generat\$3) with (map directory topology) and (sequen\$6 series order) with distribut\$3 and folder and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:36
	23					

11

(creat\$3 generat\$3)

11

(creat\$3 generat\$3)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	event same routing adj (object script engine) and routing adj (map structure topology) and folder same messag\$3 and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:42
L2	524	distribut\$3 with sequen\$4 and (instructions code object script engine) and (map structure topology) and (cluster folder group) same messag\$3 and (@ad<"19999329" @rlad<"19990329") and state\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:07
L3	330	distribut\$3 with sequen\$4 and (instructions code object script engine) same (map structure topology) and (cluster folder group) same messag\$3 and (@ad<"19999329" @rlad<"19990329") and state\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:08
L4	6	distribut\$3 with sequen\$4 and (instructions code object script engine) same (map structure topology) and (folder) with messag\$3 and (@ad<"19999329" @rlad<"19990329") and state\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:32
L5	6	distribut\$3 with (seri\$3 in-order sequen\$4) and (instructions code object script engine) with (map\$4 predefined predetemrined topology) and (folder) with messag\$3 and (@ad<"19999329" @rlad<"19990329") and state\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:12
L6	112	(distribut\$3 send\$3 transfer\$4 transmi\$5) with (seri\$3 in-order sequen\$4) and (instructions code object script engine) same (map\$4 predefined predetermined topology) and (folder) with (event notification messag\$3) and (@ad<"19999329" @rlad<"19990329") and (status condition state\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:35

EAST Search History

L7	1	(distribut\$3 send\$3 transfer\$4 transmi\$5) with (seri\$3 in-order sequen\$4) same (instructions code object script engine) same (map\$4 predefined predetermined topology) and (folder) with (event notification messag\$3) and (@ad<"19999329" @rlad<"19990329") and (status condition state\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:35
L8	7	(distribut\$3 send\$3 transfer\$4 transmi\$5) with (seri\$3 in-order sequen\$4) and (instructions code object script engine) with (based associate correspn\$4 accord\$3) with (map\$4 predefined predetermined topology) and (folder) with (event notification messag\$3) and (@ad<"19999329" @rlad<"19990329") and (status condition state\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:37
L9	2	routing adj (map structure topology) and folder same messag\$3 and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:42
L10	15	(link path forward\$3 connect\$3 routing) with (map structure topology) same folder same messag\$3 and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:10
L11	15	(link path forward\$3 connect\$3 routing) with (map structure topology) same folder same messag\$3 and (@ad<"19999329" @rlad<"19990329") and (series sequen\$4).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:48
L13	5	11 and (generat\$3 creat\$3 initia\$4) with map @ad<"19999329" @rlad<"19990329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:09
L14	42	(link path forward\$3 connect\$3 routing) near5 (object script engine instructions) and (link path forward\$3 connect\$3 routing) with (map structure topology) same folder and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:20

EAST Search History

L15	17	(link path forward\$3 connect\$3 routing) near5 (object script engine instructions) same (link path forward\$3 connect\$3 routing) with (map structure topology) same folder and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:11
L16	2	(link path forward\$3 connect\$3 routing) adj3 (script engine instructions code software) same (link path forward\$3 connect\$3 routing) with (map directory topology) same folder same (sequen\$6 series order) and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:23
L17	4	(link path forward\$3 connect\$3 routing) adj3 (script engine instructions code software) and (creat\$3 generat\$3) with (link path forward\$3 connect\$3 routing) with (map directory topology) same folder same (sequen\$6 series order) and (@ad<"19999329" @rlad<"19990329")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:24

(@ad<"19999329"
@rlad<"19990329")

(@ad<"19999329"
@rlad<"19990329")

(order) and (link path
forward\$3 connect\$3 routing)